# Python Package Metadata Management

Basic Databases

by Nguyễn Gia Phong, Nguyễn Quốc Thông, Nguyễn Văn Tùng and Trần Minh Vương July 7, 2020

# Contents

1	Intr	oduction															<b>2</b>
	1.1	Brief Descriptio	on														2
	1.2	Authors and C															2
<b>2</b>	User Requirements 3											3					
3	Dat	a Definition															4
	3.1	Entity Relation	ship D	iagi	ram												4
	3.2	Database Scher	na														5
		3.2.1 releases				•										•	5
		3.2.2 keyword	s													•	5
		3.2.3 contact															6
		3.2.4 informat	tion .														6
		3.2.5 trove.															6
		3.2.6 classifier	s														6
		3.2.7 Distribu															6
4	Dat	a Query															6
<b>5</b>	Con	clusion															6
6	Refe	erences															6

# 1 Introduction

### 1.1 Brief Description

In traditional Unix-like operating systems like GNU/Linux distributions and BSD-based OSes, package managers tries to synchronize the packages metadata (such as available versions and dependencies) with that of central repositories. While this proves to be reliable and efficient, language-specific package managers do not usually have such synchronized databases, since they focus on development libraries which have more flexible contraints.

Within the Python packaging ecosystem, this is the case, where package managers like **pip** needs to fetch metadata of each package to be installed to find out dependencies and other information. This turns out to have heavy performance penalty on the dependency resolution process alone, which is already a NP-hard problem. This project explores ways to store these metadata in an efficient in a database, to be used in practice either locally or in a local/regional network, to avoid Python package managers from having to fetch (and potentially build) entire packages just to find out if it conflicts with others.

### **1.2** Authors and Credits

The work has been undertaken by group number 8, whose members are listed in the following table.

Full name	Student ID							
Nguyễn Gia Phong	BI9-184							
Nguyễn Quốc Thông Nguyễn Văn Tùng	BI9-214 BI9-229							
Trần Minh Vương	BI9-239							

This report is licensed under a CC BY-SA 4.0 license, while the source code is available on GitHub<sup>\*</sup> under AGPLv3+.

We would like to express our special thanks to Dr. Nguyễn Hoàng Hà, whose lectures gave us basic understanding on the key principles of relational databases. In addition, we also recieved a lot of help from the Python packaging community over #pypa on Freenode on understanding the structure of the metadata as well as finding a way to fetch these data from package indices.

<sup>\*</sup>https://github.com/McSinyx/cheese-shop


# 2 User Requirements

This project aims to provide a database for metadata queries and Python packages exploration. We try to replicate the PyPI's XML-RPC API [1], which supports queries similar to the following:

- list\_projects(): Retrieve a list of registered project names.
- project\_releases(project): Retrieve a list of releases for the given project, ordered by version.
- project\_release\_latest(): Retrieve the latest release of the given project.
- belong\_to(name): Retrieve a list of projects whose author is name.

# 3 Data Definition

## 3.1 Entity Relationship Diagram



This ER Diagram represents the relationship between each of its entity set of data extracted from projects:


Author(Releases-Contact:Many-One):Within each release, there could be one author, due to data extraction method doesn't support multi-author. Yet an author could have multiple releases under his name

Require(Releases-Dependencies:Many-Many):Every releases would require a number of dependencies, and many dependencies can be used by many releases.

Classify(Releases-Trove: Many-Many): This relationship indicates the relationship between Trove classifier and each releases, with many release could be classified under one Trove classifier, and a release could be classified by many classifiers Contain(Releases-Keyword:Many-Many): A release has many keywords, and also a keyword can also be in many releases.

Release(Releases-Distribution:One-Many): Within each releases, a number of distribution(s) would be released. A distribution could relate to only 1 releases, but many distributions could be released in the same releases

# 3.2 Database Schema



#### 3.2.1 releases

This entity set represents each releases of the project, include the name of the project and its version in addition to summary, homepage and author's email. The ID of each releases is the primary key to represent each one of them. This release ID is also the foreign key of many primary key in other entity set.

#### 3.2.2 keywords

Containing both the ID of the releases and the terminology as primary key, this entity represent the keywords of a specific release.

## 3.2.3 contact

Containing contact information of the author, including email (primary key) and name

### 3.2.4 information

Specific information of each releases. Containing release ID, summary, homepage and author's email of the releases.

### 3.2.5 trove

This entity set represent Trove classifiers, identified by its ID.

## 3.2.6 classifiers

Containing the release ID and Trove classifiers ID, this table has the role of representing the relationship of trove and releases

## 3.2.7 Distribution

This entity set represents the distribution of each releases. With its primary key its release ID along with its filename, each distribution contains the url,python version and the python version it requires, the distributions it requires and its digests (a dictionary) sha256 and md5

# 4 Data Query

# 5 Conclusion

# 6 References

[1] The Python Packaging Authority. *PyPI's XML-RPC methods*. Ware-house documentation.